

SHELF ANGLE DETAIL

NOTE:

SCALE 1:10

FOR 70mm THICK BRICKWORK ABOVE 4.0m HIGH MAXIMUM HEIGHT OF BRICKWORK SHALL BE 7.0m SHELF ANGLE AND BOLTS SHALL MEET THE PERFORMANCE REQUIREMENTS OF THE NZBC.

 \mbox{N} O T E :

THIS DETAIL MUST BE READ IN CONJUNCTION WITH A SPECIFIC DESIGN WHERE THE VENEER HEIGHT EXCEEDS 5.5m ABOVE THE FOUNDATION AND SHELF ANGLES ARE DEEMED NECESSARY BY THE DESIGN ENGINEER.

6157 / 9b

STRUCTURAL ENGINEERS

YYLEWIS & BARROW LTD

PH 366 4320 CHRISTCHURCH

© 2009 FILE:[PG62_9b] 14-APRIL-2009

>VERSION 6<

INSULFORM NZ

Phone: 384 3804

E.P.S. THERMOPLASTIC BRIDGE BLOCK CONTINUOUS REINFORCED CONCRETE WALL SYSTEMS. PAT.NO.247577

Fax: 384 0009 BRICKWORK SHELF ANGLE INSULFORM BLOCKWORK